

Anthem Dealer Price List

21st October, 2020

Copyright © 2020, Paradigm Electronics Inc. All rights reserved.
Reproduction in whole or in part without our express written permission is strictly prohibited.

Contents

Click a Category JUMP to Page



Integrated Amplifiers
and Pre-Amplifiers



Home Theater Receiver
and A/V Processor



Amplifiers



Custom Install



Accessories
and Other Items



Copyright © 2020, Paradigm Electronics Inc. All rights reserved.
Reproduction in whole or in part without our express written permission is strictly prohibited.



Integrated Amplifiers and Pre-Amplifiers



STR Integrated

Stereo Integrated Amplifier

Retail

$4,499.00

Black	**1412000009**
Silver	**1412000013**

- High-resolution preamplifier section
- High current, high output amplifier section
- Amplifier uses 8 bipolar output devices per channel, a toroidal transformer power supply, and Advanced Load Monitoring for 200W at 8 ohms, 400W at 4 ohms, 550W at 2 ohms, all continuous
- Anthem Room Correction (ARC®) optimizes in-room response for perfect sound
- Bass management for two subwoofers, in mono or stereo
- Up-sampling of lower-resolution sources to 32-bit/192kHz
- S/PDIF coaxial and optical, and balanced AES/EBU inputs
- Asynchronous USB Audio Input supports 32-bit/384kHz PCM, and DSD 2.8 / 5.6 MHz sources
- Crafted in Canada

More features

Shipping Weight:
60.0lb
Product Weight:
40.0lb

Shipping Dimensions:
22" x 23.5" x 11.5"
Product Dimensions:
17.52" x 17" x 6.78"



STR Preamplifier

Stereo Pre-Amplifier

Retail

$3,999.00

Black	**1412000007**
Silver	**1412000011**

- High-resolution preamplifier section
- Anthem Room Correction (ARC®) optimizes in-room response for perfect sound
- Bass management for two subwoofers, in mono or stereo
- Up-sampling of lower-resolution sources to 32-bit/192kHz
- Asynchronous USB Audio Input supports 32-bit/384kHz PCM, and DSD 2.8 / 5.6 MHz sources
- Coaxial, optical, and AES/EBU inputs up to 192kHz
- Six pre-RIAA curves plus adjustable settings for playing older records accurately
- Adjustable analog input levels to match sources, minimize noise and prevent distortion
- Home Theater Bypass Mode works without having to turn power on and includes RCA/XLR input for two subs
- Crafted in Canada

More features

Shipping Weight:
20.0lb
Product Weight:
16.8lb

Shipping Dimensions:
21" x 22" x 10"
Product Dimensions:
14.84" x 17" x 3.90"



STR Amplifier

Stereo Amplifier

Retail

$5,999.00

Black	**1412000018**
Silver	**1412000019**

- 400W/600W/800W into 8/4/2 ohms
- Cascoded complementary feedback input stage
- Sixteen bipolar output devices per channel
- Dual Mono Design
- Massive toroidal transformers
- Soft turn-on
- Four power on/off options
- No rail fuses
- Advanced Load Monitoring™ Technology
- Graphic front panel display for the power meter, status, and easy setup navigation
- Available in Silver and Black Finishes
- Crafted in Canada

More features

Shipping Weight:
60.0lb
Product Weight:
60.0lb

Shipping Dimensions:
26.25" x 24" x 12.75"
Product Dimensions:
18.50" x 17" x 6.78"

Copyright © 2020, Paradigm Electronics Inc. All rights reserved.
Reproduction in whole or in part without our express written permission is strictly prohibited.



Home Theater Receiver and A/V Processor





MRX 1140

15.2 Pre-Amplifier / 11 Amplifier Channels

Retail

$3,699.99

Black **1414000043**

- 140 watts per channels continuous power into 8 ohms
- ARC™ Anthem Room Correction with next-gen Microphone
- 10 Amp Matrixing Channels
- Two Independent Subwoofer Channels
- Anthem Web User Interface
- Platform Agnostic Streaming (AirPlay 2, Chromecast, Bluetooth)
- 32-Bit/768 kHz DAC (AKM AK4458VN)
- HDMI 2.0b & HDCP 2.2 (Upgradeable to HDMI v2.1)
- Independent HDMI Zone 2 Output
- Dolby Atmos, Dolby Vision
- DTS:X Pro, DTS:X, DTS Virtual:X
- IMAX Enhanced
- Toroidal Power Supply
- Wi-Fi / Ethernet Enabled
- IP and Serial Control

Shipping Weight:
44.0lb
Product Weight:
32.0lb

Shipping Dimensions:
10.2" x 20.5" x 24"
Product Dimensions:
13.2" x 17" x 6.50"

MRX 740

11.2 Pre-Amplifier / 7 Amplifier Channels

Retail

$2,699.99

Black **1414000040**

- 140 watts per channels continuous power into 8 ohms
- ARC™ Anthem Room Correction with next-gen Microphone
- 6 Amp Matrixing Channels
- Two Parallel Subwoofer Channels
- Anthem Web User Interface
- Platform Agnostic Streaming (AirPlay 2, Chromecast, Bluetooth)
- 32-Bit/768 kHz DAC (AKM AK4458VN)
- HDMI 2.0b & HDCP 2.2 (Upgradeable to HDMI v2.1)
- Independent HDMI Zone 2 Output
- Dolby Atmos, Dolby Vision
- DTS:X, DTS Virtual:X
- IMAX Enhanced
- Wi-Fi / Ethernet Enabled
- IP and Serial Control

Shipping Weight:
43.0lb
Product Weight:
31.0lb

Shipping Dimensions:
10.2" x 20.5" x 24"
Product Dimensions:
13.2" x 17" x 6.50"

MRX 540

7.2 Pre-Amplifier / 5 Amplifier Channels

Retail

$1,599.99

Black **1414000037**

- 100 watts per channels continuous power into 8 ohms
- ARC™ Anthem Room Correction with next-gen Microphone
- 4 Amp Matrixing Channels
- Two Parallel Subwoofer Channels
- Anthem Web User Interface
- Platform Agnostic Streaming (AirPlay 2, Chromecast, Bluetooth)
- 32-Bit/768 kHz DAC (AKM AK4458VN)
- HDMI 2.0b & HDCP 2.2 (Upgradeable to HDMI v2.1)
- Dolby Atmos, Dolby Vision
- DTS:X, DTS Virtual:X
- IMAX Enhanced
- Wi-Fi / Ethernet Enabled
- IP and Serial Control

Shipping Weight:
40.3lb
Product Weight:
31.0lb

Shipping Dimensions:
10.2" x 20.5" x 24"
Product Dimensions:
13.2" x 17" x 6.50"

Copyright © 2020, Paradigm Electronics Inc. All rights reserved.
Reproduction in whole or in part without our express written permission is strictly prohibited.



Home Theater Receiver and A/V Processor





AVM 90

15.4 A/V Pre-Amplifier/Processor

Retail

$6,999.00

Black **1417000009**

- Upgraded Audio circuitry
- ARC™ Anthem Room Correction with next-gen Microphone
- Four Independent Subwoofer Channels
- Anthem Web User Interface
- Platform Agnostic Streaming (AirPlay 2, Chromecast, Bluetooth)
- 32-Bit/768 kHz DAC (AKM AK4499EQ)
- HDMI 2.0b & HDCP 2.2 (Upgradeable to HDMI v2.1)
- Independent HDMI Zone 2 Output
- Dolby Atmos, Dolby Vision
- DTS:X Pro, DTS:X, DTS Virtual:X
- IMAX Enhanced
- Toroidal Power Supply
- Wi-Fi / Ethernet Enabled
- IP and Serial Control

Shipping Weight:
21.2lb
Product Weight:
20.0lb

Shipping Dimensions:
11" x 21" x 24"
Product Dimensions:
13.2" x 17" x 6.50"

AVM 70

15.2 A/V Pre-Amplifier/Processor

Retail

$3,499.99

Black **1417000006**

- ARC™ Anthem Room Correction with next-gen Microphone
- Two Independent Subwoofer Channels
- Anthem Web User Interface
- Platform Agnostic Streaming (AirPlay 2, Chromecast, Bluetooth)
- 32-Bit/768 kHz DAC (AKM AK4490EQ)
- HDMI 2.0b & HDCP 2.2 (Upgradeable to HDMI v2.1)
- Independent HDMI Zone 2 Output
- Dolby Atmos, Dolby Vision
- DTS:X Pro, DTS:X, DTS Virtual:X
- IMAX Enhanced
- Toroidal Power Supply
- Wi-Fi / Ethernet Enabled
- IP and Serial Control

Shipping Weight:
21.5lb
Product Weight:
20.0lb

Shipping Dimensions:
11" x 21" x 24"
Product Dimensions:
13.2" x 17" x 6.50"

Copyright © 2020, Paradigm Electronics Inc. All rights reserved.
Reproduction in whole or in part without our express written permission is strictly prohibited.



Amplifiers



MCA 525 Gen 2

5-Channel Power Amplifier

Retail

$3,499.00

Black **1412000032**

- 225W into 5-Channels
- Delivers lower THD (Total Harmonic Distortion) for cleaner, pure sound and lower noise
- Completely redesigned for improved audio performance and reliability
- Higher current output for lower distortion
- Cosmetic match for AVM 70/90 and MRX 540/740/1140
- Improved Advanced Load Monitoring system
- 8 bipolar output devices per channel for less stress on each device
- Less than 2 watts standby power consumption
- Crafted in Canada

Shipping Weight:
60.0lb
Product Weight:
61.0lb

Shipping Dimensions:
22" x 23.5" x 11.5"
Product Dimensions:
18.11" x 17.28" x 6.65"

MCA 325 Gen 2

3-Channel Power Amplifier

Retail

$2,499.00

Black **1412000029**

- 225W into 3-Channels
- Delivers lower THD (Total Harmonic Distortion) for cleaner, pure sound and lower noise
- Completely redesigned for improved audio performance and reliability
- Higher current output for lower distortion
- Cosmetic match for AVM 70/90 and MRX 540/740/1140
- Improved Advanced Load Monitoring system
- 8 bipolar output devices per channel for less stress on each device
- Less than 2 watts standby power consumption
- Crafted in Canada

Shipping Weight:
53.0lb
Product Weight:
43.0lb

Shipping Dimensions:
22" x 23.5" x 11.5"
Product Dimensions:
18.11" x 17.28" x 6.65"

MCA 225 Gen 2

2-Channel Power Amplifier

Retail

$1,999.00

Black **1412000026**

- 225W into 2-Channels
- Delivers lower THD (Total Harmonic Distortion) for cleaner, pure sound and lower noise
- Completely redesigned for improved audio performance and reliability
- Higher current output for lower distortion
- Cosmetic match for AVM 70/90 and MRX 540/740/1140
- Improved Advanced Load Monitoring system
- 8 bipolar output devices per channel for less stress on each device
- Less than 2 watts standby power consumption
- Crafted in Canada

Shipping Weight:
50.0lb
Product Weight:
40.0lb

Shipping Dimensions:
22" x 23.5" x 11.5"
Product Dimensions:
18.11" x 17.28" x 6.65"

Copyright © 2020, Paradigm Electronics Inc. All rights reserved.
Reproduction in whole or in part without our express written permission is strictly prohibited.





Amplifiers



Statement P5

5-Channel Power Amplifier

Retail

$8,499.00

Black **1512051001**

- 5-channel power amplifier with 325 watts per channel continuous power into 8 ohms
- 5 Single-Ended, 5 Balanced, 1 Relay Trigger (3.5 mm Mono Jack)
- 5 Pairs Speaker Binding Posts, 1 Relay Trigger (3.5 mm Mono Jack)
- Edge-Of-The-Art Multi-Mono Design
- Independent Power Supplies
- Fourteen Bipolar output Devices Per Channel
- "No Fuse" Design
- Three Power On/Off Options
- Oversize Aluminum Headsinks
- RCA and XLR True-Balanced Inputs
- Designed and Built in North America
- Hand-Designed Circuit Boards
- Cascoded Complementary Feedback Input Stage
- Massive Toroidal Transformers

More features

Shipping Weight:
154.0lb
Product Weight:
130.0lb

Shipping Dimensions:
15" x 25" x 30"
Product Dimensions:
22.51" x 19.30" x 9.38"



Statement P2

2-Channel Power Amplifier

Retail

$4,499.00

Black **1512021001**

- 2-channel power amplifier with 325 watts per channel continuous power into 8 ohms
- 2 Single-Ended, 2 Balanced, 1 Relay Trigger (3.5 mm Mono Jack)
- 2 Pairs Speaker Binding Posts, 1 Relay Trigger (3.5 mm Mono Jack)
- Edge-Of-The-Art Multi-Mono Design
- Independent Power Supplies
- Fourteen Bipolar output Devices Per Channel
- "No Fuse" Design
- Three Power On/Off Options
- Oversize Aluminum Headsinks
- RCA and XLR True-Balanced Inputs
- Designed and Built in North America
- Hand-Designed Circuit Boards
- Cascoded Complementary Feedback Input Stage
- Massive Toroidal Transformers

More features

Shipping Weight:
88.0lb
Product Weight:
75.0lb

Shipping Dimensions:
15" x 25" x 30"
Product Dimensions:
22.52" x 19.30" x 9.37"



Statement P5 Rack Mount

5-Channel Power Amplifier

Retail

$8,499.00

Black **1512051003**

- 5-channel power amplifier with 325 watts per channel continuous power into 8 ohms
- 5 Single-Ended, 5 Balanced, 1 Relay Trigger (3.5 mm Mono Jack)
- 5 Pairs Speaker Binding Posts, 1 Relay Trigger (3.5 mm Mono Jack)
- Edge-Of-The-Art Multi-Mono Design
- Independent Power Supplies
- Fourteen Bipolar output Devices Per Channel
- "No Fuse" Design
- Three Power On/Off Options
- Oversize Aluminum Headsinks
- RCA and XLR True-Balanced Inputs
- Designed and Built in North America
- Hand-Designed Circuit Boards
- Cascoded Complementary Feedback Input Stage
- Massive Toroidal Transformers

More features

Shipping Weight:
154.0lb
Product Weight:
130.0lb

Shipping Dimensions:
15" x 25" x 30"
Product Dimensions:
22.51" x 19.30" x 9.38"



Statement P2 Rack Mount

2-Channel Power Amplifier

Retail

$4,499.00

Black **1512021003**

- 2-channel power amplifier with 325 watts per channel continuous power into 8 ohms
- 2 Single-Ended, 2 Balanced, 1 Relay Trigger (3.5 mm Mono Jack)
- 2 Pairs Speaker Binding Posts, 1 Relay Trigger (3.5 mm Mono Jack)
- Edge-Of-The-Art Multi-Mono Design
- Independent Power Supplies
- Fourteen Bipolar output Devices Per Channel
- "No Fuse" Design
- Three Power On/Off Options
- Oversize Aluminum Headsinks
- RCA and XLR True-Balanced Inputs
- Designed and Built in North America
- Hand-Designed Circuit Boards
- Cascoded Complementary Feedback Input Stage
- Massive Toroidal Transformers

More features

Shipping Weight:
91.0lb
Product Weight:
75.0lb

Shipping Dimensions:
15" x 25" x 30"
Product Dimensions:
22.52" x 19.30" x 9.37"

Copyright © 2020, Paradigm Electronics Inc. All rights reserved.
Reproduction in whole or in part without our express written permission is strictly prohibited.





Amplifiers



Statement M1

Mono-Power Amplifier

Retail

$3,499.00

Black **1510000001**

- 1000W/2000W/2400W into 8/4/3 ohms
- Full resolution of all of the sonic subtleties and complexities in the input signal
- Accurate reproduction of the full dynamic range of the signal
- Output stage is never allowed to clip
- No compression as output increases
- Flat frequency response into any load, without having to resort to digital conversion or equalization to compensate
- Stable into all loads including open circuit and short circuit
- Exceptional efficiency with low heat output
- A design that allows multiple units to be stacked with no danger of overheating
- All of the above delivered at a price point that while not inexpensive, delivers virtually limitless dynamic fidelity

More features

Shipping Weight:
25.0lb
Product Weight:
20.0lb

Shipping Dimensions:
13" x 19" x 23"
Product Dimensions:
18.74" x 19.29" x 2.24"

Copyright © 2020, Paradigm Electronics Inc. All rights reserved.
Reproduction in whole or in part without our express written permission is strictly prohibited.



Custom Install





MDX-16

8 Zones, 16 Channels distribution solution

Retail

$2,999.99

Black **1412000022**

- 60 Watts (8 Ohms) / 120 Watts (4 Ohms)
- 8 Zones, 16 Channels distribution solution
- Web-Based Setup
- Anthem Room Correction (ARC®)
- 24-bit/192kHz digital-to-analog converter (DAC) maintains the integrity of high-resolution source materials
- Customized pre-set DSP settings
- Separate zone-specific bass management and subwoofer integration
- Bridging allows up to 200 Watts for high power applications such as subwoofers
- Digital switching output allows linking of digital inputs between multiple MDX
- Analog pass-through connections allow daisy chaining of multiple MDX
- Automation Compatibility: Control4, Crestron, Savant, Elan, URC and RTI

More features

Shipping Weight:
30.0lb
Product Weight:
24.0lb

Shipping Dimensions:
12" x 22.5" x 22.5"
Product Dimensions:
16.4" x 17" x 3.5"

MDX-8

4 Zones, 8 Channels distribution solution

Retail

$1,999.99

Black **1412000023**


- 60 Watts (8 Ohms) / 120 Watts (4 Ohms)
- 4 Zones, 8 Channels distribution solution
- Web-Based Setup
- Anthem Room Correction (ARC®)
- 24-bit/192kHz digital-to-analog converter (DAC) maintains the integrity of high-resolution source materials
- Customized pre-set DSP settings
- Separate zone-specific bass management and subwoofer integration
- Bridging allows up to 200 Watts for high power applications such as subwoofers
- Digital switching output allows linking of digital inputs between multiple MDX
- Analog pass-through connections allow daisy chaining of multiple MDX
- Automation Compatibility: Control4, Crestron, Savant, Elan, URC and RTI

More features

Shipping Weight:
28.0lb
Product Weight:
21.0lb

Shipping Dimensions:
12" x 22.5" x 22.5"
Product Dimensions:
17" x 17" x 3.9"

Copyright © 2020, Paradigm Electronics Inc. All rights reserved.
Reproduction in whole or in part without our express written permission is strictly prohibited.



Accessories and Other Items



MRX/AVM Rack Kit

Retail

$79.00

Black **1414000046**

- For MRX 540/740/1140 Receivers & AVM 70/90 Processor.

Shipping Weight:
2.0lb

Shipping Dimensions:
2" x 19" x 9.5"



MCA x25 Gen 2 Rack Kit

Retail

$79.00

Black **1412000035**

- For MCA 225/325/525 Gen 2

Shipping Weight:
2.0lb

Shipping Dimensions:
2" x 19" x 9.5"

Copyright © 2020, Paradigm Electronics Inc. All rights reserved.
Reproduction in whole or in part without our express written permission is strictly prohibited.